

MATERIAL SAFETY DATA SHEET

PAC INTERNATIONAL, INC.  
6585 WHISPERING SANDS DR  
LAS VEGAS, NV 89131

TELEPHONE:866-774-2100  
FAX:866-649-2710

DATE ISSUED:11/10/2009

**I - PRODUCT IDENTIFICATION**

PRODUCT: RUBBER AND STEEL

CHEMICAL FAMILY: POLYMERIC

COMPOUND NO:OR-0977-50CRYO

PROPRIETARY FORMULATION

**II - PRODUCT IDENTIFICATION**

MATERIAL LISTED IN THIS SECTION ARE IN CONCENTRATIONS OF 0.1% OR MORE IF CARCINOGENIC AND / OR 1% OR MORE IF TOXIC, IRRITANT, ETC. PER 29CFR 1910 1200

	AGGTH TLV	OS IA PE.	% WT
* ZINK BORATE HYDRATE CAS NO. 138265-86-0	10MG/m	5MG/M3	1.52%
SOLVENT REFINED NAPHTHENIC DISTILLATE CAS NO. 64741-86-4 (IRRITANT)	5MG/M	35MC/M3	2.02%
TRIPHENYL PHOSPHATE CAS NO. 115-86-6 (TOXIC)	3MG/M3	3MG/M3	1.88%
PROPYLATED TRIPHENYL PHOSPHSTE CAS NO. 68937-41-7 (TOXIC)			10.65%
* ZINC OXIDE CAS NO. 1314-13-2 (TOXIC)	N/A	N/A	1.01%

\* NOTE: THIS PRODUCT CONTAINS TOXIC MATERIALS REPORTABLE UNDER SARA TITLE III, SECTION 313

**III - PHYSICAL DATA**

BOILING POINT	N/A	PERCENT VOLATILE BY VOLUME	N/A
VAPOR PRESSURE/DENSITY	N/A	EVAPORATIVE RATE	N/A
SOLUBILITY IN WATER	NIL	POLYMERIC SOLID; CHARACTERISTIC	ODOR
SPECIFIC GRAVITY	1.331		

MATERIAL SAFETY DATA SHEET

**IV - FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT:	NOT DETERMINED
AUTO IGNITION TEMP:	NOT DETERMINED
FLAMMABLE LIMITS IN AIR:	NOT DETERMINED
EXTINGUISHING MEDIA:	WATER, FOG, DRY CHENICAL, CO2, FOAM

SPECIAL FIRE FIGHTING PROCEDURES

FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING WHEN FIGHTING FIRES INVOLVING CHENICALS.

UNUSUAL FIRE AND EXPLOSION HAZARDS

EXPOSURE TO TEMPERATURES ABOVE 200 C (392 F) MAY RELEASE VAPORS IRRITATING TO EYES, SKIN, AND LUNGS. THEREFORE GROUNDING OF POTENTIAL ELECTROSTATIC CHARGE BUILDUP, EQUIPMENT IS RECOMMENDED.

**V - REACTIVITY DATA**

STABILITY:	STABLE AT AMBIENT TEMPERATURES AND PRESSURE
INCOMPATIBILITY:	NONE KNOWN

## MATERIAL SAFETY DATA SHEET

PAC INTERNATIONAL, INC.  
6585 WHISPERING SANDS DR  
LAS VEGAS, NV 89131

TELEPHONE:866-774-2100  
FAX:866-649-2710

DATE ISSUED:11/10/2009

### DECOMPOSITION PRODUCTS

OXIDES OF CARBON, SULFUR, AND NITROGEN ARE FORMED UNDER BURNING CONDITIONS. SUBSTANTIAL QUANTITIES OF HYDROGEN HALIDE (TLV 5PPM) CARBON MONOXIDE, CARBON DIOXIDE, SULFUR DIOXIDE, ORGANIC ACIDS, ALDEHYDES AND ALCOHOLS ARE EVOLVED WHEN HEATED AT TEMPERATURES OF 200 C (392 F) OR HIGHER. SUBSTANTIAL QUANTITIES OF PHOSPHIDES (TLV 5PPM) ARE EVOLVED WHEN HEATED AT TEMPERATURES OF 200C (392 F) OR HIGHER. DECOMPOSITION PRODUCTS MAY CONTAIN HCN (HYDROGEN CYANIDE) AND/OR HCL (HYDROGEN CHLORIDE). MORPHINE VAPORS MAY BE RELEASED ABOVE 130 DEG C

### VI - SPECIAL PROTECTION EQUIPMENT

#### ENGINEERING CONTROLS

LOCAL EXHAUST VENTILATION/DUST COLLECTION RECOMMENDED FOR ALL HOT PROCESSING/GRINDING OPERATIONS.

#### PERSONAL PROTECTION EQUIPMENT

AVOID SKIN CONTACT BY THE USE OF PERSONAL HYGIENE, INCLUDING THE WASHING OF HANDS AND OTHER EXPOSED BODY PARTS AS OFTEN AS POSSIBLE, I.E. BEFORE BREAKS, AFTER EXCESSIVE EXPOSURE AND AFTER SHIFT. WHEN PARTICULATE LIMITS ARE EXCEEDED, USE NOISH CERTIFIED RESPIRATORY PROTECTION AS APPROPRIATE.

#### MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

INDIVIDUALS WITH CHRONIC RESPIRATORY DISORDERS (I.E. ASTHMA, CHRONIC BRONCHITIS, EMPHYSEMA,, ETC.) MAY BE ADVERSELY AFFECTED BY ANY FUME OR AIRBORNE PARTICULATE EXPOSURE. SENSITIVE INDIVIDUALS MAY BE SUSCEPTIBLE TO ALLERGIC REACTION UPON CONTACT WITH SKIN, EYES, OR RESPIRATORY TRACT.

### VII - STORAGE, SPILLS, AND DISPOSAL INFORMATION

STORAGE: STORE AWAY FROM HEAT  
SPILLS: HANDLE AS SOLID WASTE  
DISPOSAL: IN ACCORDANCE WITH LOCAL, STATE OR FEDERAL REGULATIONS REGARDING DISPOSAL OF POLYMERIC WASTES.

ENVIRONMENTAL INFORMATION: NOT DETERMINED

### VIII - HEALTH RELATED DATA

SPECIFIC HAZARD (S): CONTACT WITH SKIN MAY CAUSE IRRITATION.  
PRIMARY ROUTE (S) OF ENTRY: INHALATION OF HOT FUMES, SKIN ABSORPTION.

### IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: STORE BELOW 70 F AWAY FROM DIRECT HEAT AND SUNLIGHT.

OTHER PRECAUTIONS: WASH THOROUGHLY AFTER HANDLING.

A CLASS OF MATERIAL CALLED NITROSAMINES ARE ANIMAL CARCINOGENS AND SHOULD BE TREATED AS POSSIBLE HUMAN CARCINOGENS. BECAUSE MANY RUBBER MATERIALS CONTAIN AMIME-BASED INGREDIENTS, TRACE RESIDUAL AMOUNTS (WELL BELOW 0.1%) OF NITROSAMINE ARE LIKELY TO EXIST IN MOST RUBBER COMPOUNDS.

AS CONDITIONS OR METHODS OF USE ARE BEYOND CONTROL, WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM ANY LIABILITY FOR ANY USE OF THE MATERIAL. INFORMATION CONTAINED HEREIN IS BELIEVED TO BE TRUE AND ACCURATE BUT ALL STATEMENTS OR SUGGESTIONS ARE MADE WITHOUT WARRANTY EXPRESSED OR IMPLIED, REGARDING ACCURACY OF THE INFORMATION, THE HAZARDS CONNECTED WITH THE USE OF THE MATERIAL OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. COMPLIANCE WITH FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS REMAINS THE RESPONSIBILITY OF THE USER.

**MATERIAL SAFETY DATA SHEET**

PAC INTERNATIONAL, INC.  
6585 WHISPERING SANDS DR  
LAS VEGAS, NV 89131

TELEPHONE:866-774-2100  
FAX:866-649-2710

DATE ISSUED:01/01/2010

**I - PRODUCT IDENTIFICATION**

PRODUCT: RUBBER AND STEEL

**II - PRODUCT DESCRIPTION**

RESILIENT SOUND ISOLATION CLIP

**III - PHYSICAL DATA**

MELTING POINT F (C) GREATER THAN 2800 (1540)  
VAPOR PRESSURE: NOT APPLICABLE  
VAPOR DENSITY: NOT APPLICABLE  
SOLUBILITY IN WATER: NEGLIGIBLE  
APPEARANCE AND ODOR: GRAYISH TO SILVER ODORLESS  
SPECIFIC GRAVITY (H2O=1): GREATER THAN 7%  
VOLATILE BY VOLUME(%): NOT APPLICABLE  
EVAPORATIVE RATE: NOT APPLICABLE

**IV - FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT F (C): NOT APPLICABLE  
FLAMMABLE LIMITS: NOT APPLICABLE  
EXTINGUISHING LIMITS: USE METHODS APPLICABLE TO SURROUNDING AREA  
USUAL FIRE AND EXPLOSION HAZARDS: NONE  
SPECIAL FIRE FIGHTING PROCEDURES: USE SELF-CONTAINED BREATHING APPARATUS FOR PROTECTION AGAINST  
DEGRADATION PRODUCTS AND FIRE FIGHTING TECHNIQUE OR AGENT (S) APPLICABLE TO SURROUNDING MATERIALS.

**V - HEALTH HAZARD DATA**

APPLICABLE STATUARY OR RECOMMENDED OCCUPATIONAL EXPOSURE LIMITS:  
NO THRESHOLD LIMIT VALUE (TVL) OR PERMISSIBLE EXPOSURE LIMIT (PEL) EXISTS OF STEEL.

**ACUTE EFFECTS -**

SWALLOWED: NOT EXPECTED TO BE SWALLOWED IN THE FORM SUPPLIED  
EYE: NOT IRRITATING TO EYES IN THE FORM SUPPLIED  
SKIN: NOT IRRITATING TO SKIN IN THE FORM SUPPLIED  
INHALED: NOT EXPECTED TO BE INHALED IN THE FORM SUPPLIED. WELDING OR CUTTING OPERATIONS THAT GENERATE  
ZINC OXIDE FUME MAY LEAD TO ZINC FUME FEVER.

**CHRONIC EFFECTS:** NO REPORTS OF EFFECTS FROM PROLONGED OR REPEATED EXPOSURE TO THE PRODUCT AS SUPPLIED.  
PROLONGED SKIN CONTACT WITH CHROMIUM SURFACE TREATMENTS MAY LEAD TO CHROMIUM SENSATION IN SENSITIVE  
INDIVIDUALS. PROLONGED CONTACT WITH THE SURFACE OIL USED FOR CORROSION PROTECTION MAY IRRITATE THE SKIN IN  
SENSITIVE INDIVIDUALS.

**VI - REACTIVITY DATA**

STABILITY: CONSIDER STABLE  
INCOMPATIBILITY: NOT INCOMPATIBLE WITH MATERIALS  
CONDITIONS TO AVOID: MAY LIBERATE METAL FUMES, METAL OXIDE OR OTHER OXIDES IF EXPOSED TO ELEVATED  
TEMPERATURES.  
COATING CAN REACT WITH ACIDS AND ALKALIS, GIVING OFF HYDROGEN GAS gas.

**VII - SPILLS AND DISPOSAL**

NO SPECIAL PROCEDURES USUALLY REQUIRED. THIS PRODUCT CAN BE RECYCLED.

**MATERIAL SAFETY DATA SHEET**

PAC INTERNATIONAL, INC.  
6585 WHISPERING SANDS DR  
LAS VEGAS, NV 89131

TELEPHONE:866-774-2100  
FAX:866-649-2710

DATE ISSUED:01/01/2010

**VIII – SPECIAL PROTECTION INFORMATION**

NOT APPLICABLE IN THE FORM  
SUPPLIED

**IX – SPECIAL PRECAUTIONS**

NOT CLASSIFIED AS DANGEROUS GOODS.  
STOW AND SECURE ADEQUATELY TO PREVENT MOVEMENT DURING TRANSPORTATION AND STORAGE. STORE IN A DRY  
ENVIRONMENT TO PREVENT CORROSION IN STORAGE.

**DISCLAIMER**

PAC INTERNATIONAL, INC. LLC MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OR MARKETABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE INFORMATION CONTAINED IN THIS MATERIAL SAFETY DATA SHEET (MSDS) IS BELIEVED TO BE CORRECT, BUT NO REPRESENTATIONS, GUARANTEES OR WARRANTIES OF ANY KIND ARE MADE AS TO ITS ACCURACY, SUITABILITY FOR PARTICULAR APPLICATIONS, HAZARDS CONNECTED WITH THE USE OF THE MATERIAL OR THE RESULTS TO BE OBTAINED FROM THE USE THERE OF. USER ASSUMES ALL RISK AND LIABILITY OF ANY USE OR HANDLING OF ANY MATERIAL BEYOND PAC INTERNATIONAL, INC'S CONTROL. VARIATIONS IN METHODS, CONDITIONS, EQUIPMENT USED WITH THIS MATERIAL ARE SOLELY THE RESPONSIBILITY OF THE USER AND REMAIN AT ITS SOLE DISCRETION. WHEN APPLICABLE, THE PRODUCT DESCRIBED IN THIS MSDS IS CONSIDERED TO BE AN "ARTICLE" WITHIN THE MEANING OF TITLE 29 OF THE CODE OF FEDERAL REGULATIONS, SECTION 1910.1200 OF REG. THIS MSDS IS INTENDED TO BE USED SOLELY FOR THE PURPOSE OF SATISFYING INFORMATIONAL REQUESTS MADE PURSUANT TO THAT REQUIREMENT. IT IS NOT INTENDED TO PREEMPT, REPLACE OR EXPAND THE TERMS CONTAINED IN PAC INTERNATIONAL INC'S CONDITIONS OF SALE. COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAW AND REGULATIONS REMAINS THE RESPONSIBILITY OF THE USER, AND THE USER HAS THE RESPONSIBILITY TO PROVIDE A SAFE WORK PLACE, TO EXAMINE ALL ASPECTS OF ITS OPERATION, AND TO DETERMINE IS OR WHERE PRECAUTIONS, IN ADDITION TO THOSE DESCRIBED HEREIN, ARE REQUIRED.